



Fall protection

# SPEEDLINE LV201

## ANCHORAGE DEVICES

2 to 20 metre long temporary webbing lifeline, allowing to secure 2 simultaneous users, very easy to install with tensioner



## Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Forestry
- Storage

## Certifications and norms



EN 795

TYPE B  
TYPE C

## Protects against risks



Fall



Fall protection

# SPEEDLINE LV201

## ANCHORAGE DEVICES

2 to 20 metre long temporary webbing lifeline, allowing to secure 2 simultaneous users, very easy to install with tensioner

### Standards - Details

### Technical details

Type of equipment	Temporary horizontal lifeline
Composition of the main support	Polyester
Strap width	50 mm
Length	20 m
Fastening	Screw
Color	Yellow
SIZE	2.50 to 20 m
Lifespan from manufacturing	10 years
Weight	3,8 kg
Maximum number of users	2
Fall arrest work situations	Movement on lifeline, Restraint, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)



Fall protection

# SPEEDLINE LV201

## ANCHORAGE DEVICES

2 to 20 metre long temporary webbing lifeline, allowing to secure 2 simultaneous users, very easy to install with tensioner

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
LV201	Yellow	2.50 to 20 m	SPEEDLINE LV201	3660348006330	13660348006337	1	1	4.8 kg